

WONDERFLOOR



LUXURIA

Rhine Bldg Mat Tr Co LLC






LUXURIA-1023



LUXURIA-1026




LUXURIA-1041






LUXURIA-551601 



LUXURIA-771701 



LUXURIA-776125 





PERFORMANCE CHARACTERISTIC

CHARACTRISTIC	RESULT	TEST METHOD
THICKNESS	2.00 MM	EN 428/ISO 24346
TOTAL WEIGHT	1.65	EN 430/ ISO 23997
ROLL WIDTH	2.00MTR	EN 426/ISO 24341
ROLL LENGTH	15 METER	EN 426/ISO 24341
RESISTANCE TO CHEMICAL	NO VISIBLE CHANGES- PASS	ASTM F925
DIMENSIONAL STABILITY	<0.10%	EN 434/ISO23999
RESIDUAL INDENTATION	<0.40 MM	EN 433/ISO23343-1
FLEXIBILITY	20 MM MANDREL PASS	EN 435/ISO 24344
ABRASION RESISTANCE	WEAR GROUP 'M'	EN660-2
HYGINE/CLEAN ROOM	INHIBITS GROWTH OF MICROBES	ISO 14644-1
COLOUR FASTNESS	>BLUE WOOL STANDARD 5	ISO105-B02
SLIP RESISTANCE	R9	DIN 51130/ ASTM D2047
BEARING A CASTOR CHAIR	SUITABLE/CONTINIOUS USE	EN 425/ISO 4918
REACTION TO FIRE (kw/m2)	Cfl-s1	EN ISO 9239-1
ELECTRICAL RESISTANCE	ANTISTATIC	EN 1081
SOUND ABSORBTION	LW=14DB	ISO140-8/EN1SO717-2
PERFORMANCE CLASSIFICATION	31	EN 685/ISO 10874
STAIN RESISTANCE	1, VERY GOOD RESISTANCE	EN 432/ ISO 26987
MARITIME USAGES	SUITABLE	



شركة الراين لتجارة مواد البناء ذ.م.م
RHINE BUILDING MATERIALS TRADING CO. LLC

Dubai Investment Park 2, Dubai, U.A.E Tel: 971 4 3322605, Mob: 050 789 5590
E-mail: info@rhineuae.com, website: www.rhineuae.com

